

RODAJA CON GIRATORIO EMBALERADO (49/50)

- 2-9/16" diameter raceway is precisely machine and hardened and loaded with 3/8" hardened ball bearings
- Lower raceway thrust bearing is a tapered roller bearing that provides exceptionally smooth and easy swiveling action and counteracts radial thrust
- Grease fitting on raceway and axle
- Constructed from ASTM1045 steel
- 1/4" thick legs are double welded
- 3/4" integrally forged kingpin
- Zinc plated finish
- 1/2" axle

49CD60JR0917-0A0000



49DW60JRT317-0F0000



A-Cam Brake (AY)	Cam Brake (CY)	Thread Guards (GY)
		
4-Position Lock (PY)	Universal Contact Brake (UF)	Toe Guard (4Y)
		

FASTENING PATTERNS			
Plate Code	Overall Size	Bolt Hole Pattern	Mounting Bolt Size
17	4" x 5"	2-5/8" x 3-5/8" to 3" x 3"	3/8"
Overall Height and Swivel Radius			
Wheel Diameter	Overall Height	Denotation Code	Swivel Radius
4"	5-5/8"	40	3-9/16"
5"	6-1/2"	50	4-1/2"
6"	7-1/2"	60	5-3/16"
8"	9-1/2"	80	6-3/8"



RODAJA CON GIRATORIO EMBALERADO (49/50)

Wheel Diameter	Tread Width	Wheel Type	Load Cap.	Available Bearing Options	Replace + with desired wheel color		+Color	
					Replace ## with desired wheel bearing			
					Swivel	Rigid		
4"	2"	Yoke Only			49ZZ40JZ8317YY	50ZZ40JZ8317YY		
		Neo-Energizer™	500	04,09,60,48,57,12	49EN40JB##17YY	50EN40JB##17YY		
		Mold-On Rubber	400	04,09,60,48,57,12	49RS40JB##17YY	50RS40JB##17YY		
		Phenolic	800	04,09,60,48,57.12	49PH40JB##17YY	50PH40JB##17YY		
		Phenolic Straight Sided	1000	04,09,60,57,12	49PH40TB##17YY	50PH40TB##17YY	N,R	
		High-Temp Phenolic	600	04,09,90	49HT40JQ##17YY	50HT40JQ##17YY		
		Polyon AL™	800	04,09,60,48,57,12	49PA40J+##17YY	50PA40J+##17YY		
		DW-Black	470		49DW40JLT317YY	50DW40JLT317YY		
		DW-Red	540		49DW40JRT317YY	50DW40JRT317YY		
		DW-Blue	960		49DW40JBT317YY	50DW40JBT317YY		
		DW-Gray	1000		49DW40JGT317YY	50DW40JGT317YY		
		Crown DW-Red	540		49DW40XRT317YY	50DW40XRT317YY		
		Crown DW-Blue	960		49DW40XBT317YY	50DW40XBT317YY		
		Polyon™	800		04,09,60,48,57,12	49PU40JV6317YY		50PU40JV6317YY
			800			49PU40J+##17YY		50PU40J+##17YY
		EnergySaver Polyon™	800	04,09,60,48,57,12	49SW40JU##17YY	50SW40JU##17YY	G,V	
		PolyFlexon™ Cast	700	04,09,60,48,57,12	49RP40JK##17YY	50RP40JK##17YY		
		PolyFlexon™	900		49UA40JO6417YY	50UA40JO6417YY		M,O
		Ultraflex™	900		49UX40J+6317YY	50UX40J+6317YY		
		DuraLastomer™	750	09,60,48,57,12	49SU40JL##17YY	50SU40JL##17YY		
		Super Elastomer	1200		49SX40JI6417YY	50SX40JI6417YY		
		ErgoLastomer™	1000	04,09,64,57,12	49HU40JI##17YY	50HU40JI##17YY		
		Semi-Steel	700	04,09,60,48,57,12	49SS40JS##17YY	50SS40JS##17YY		
		Heavy Duty Iron	900	04,09,60,48,57,12	49HS40JS##17YY	50HS40JS##17YY		
		Ductile	1500	04,09,60,63,57,12	49DS40JR##17YY	50DS40JR##17YY		
		Solid Steel	2000	09,63, B1,B5	49MS40JS##17YY	50MS40JS##17YY		
		EnergySaver Ductile™	1500	04,60,48,09,B1,B5	49CD40JR##17YY	50CD40JR##17YY	B,I	
		Ironman™	2000	04, 09	49NX40J+4P17YY	50NX40J+4P17YY		
			2000		49NX40J+##17YY	50NX40JB##17YY		
		Ironman™ V-Groove	2000		49NV40JT4P17YY	50NV40JT4P17YY		
		Iron V-Groove	600	04,09,60,48,57,12	49VG40JT##17YY	50VG40JT##17YY		
		Ductile V-Groove	1500	04,09,60,48,57, B1, B5	49DV40JT##17YY	50DV40JT##17YY		
5"	2"	Yoke Only			49ZZ50JZ8317YY	50ZZ50JZ8317YY		
		Neo-Energizer™	550	04,09,60,48,57,12	49EN50JB##17YY	50EN50JB##17YY		
		Mold-On Rubber	400	04,09,60,48,57,12	49RS50JB##17YY	50RS50JB##17YY		
		Phenolic	1000	04,09,60,48,57,12	49PH50JB##17YY	50PH50JB##17YY		
		Hi-Temp Phenolic	750	04,09,90	49HT50JQ##17YY	50HT50JQ##17YY	N,R	
		Polyon AL™	900	04,09,60,48,57,12	49PA50J+##17YY	50PA50J+##17YY		
		Polyon-C	900	04,09,60,48,57,12	49PR50JL##17YY	50PR50JL##17YY		
		DW-Black	550		49DW50JLT317YY	50DW50JLT317YY		
		DW-Red	750		49DW50JRT317YY	50DW50JRT317YY		
		DW-Blue	1160		49DW50JBT317YY	50DW50JBT317YY		
		DW-Gray	1200		49DW50JGT317YY	50DW50JGT317YY		
		Crown DW-Red	750		49DW50XRT317YY	50DW50XRT317YY		
		Crown DW-Blue	1160		49DW50XBT317YY	50DW50XBT317YY		
		Polyon™	1100		04,09,60,48,57,12	49PU50JV6317YY		50PU50JV6317YY
			1100			49PU50J+##17YY		50PU50J+##17YY
		EnergySaver Polyon™	1300	04,09,60,48,57,12	49SW50JU##17YY	50SW50JU##17YY	G,V	
		PolyFlexon™ Cast	800	04,09,60,48,57,12	49RP50JK##17YY	50RP50JK##17YY		
		PolyFlexon™	900		49UA50JO6417YY	50UA50JO6417YY		M,O
		Ultraflex™	900		49UX50J+6417YY	50UX50J+6417YY		
		D-Polyon	900		49UD50JL6417YY	50UD50JL6417YY		
		DuraLastomer™	900	09,60,48,57,12	49SU50JL##17YY	50SU50JL##17YY		
		Super Elastomer	1200	04,09,64,57.12	49SX50JI##17YY	50SX50JI##17YY		
		ErgoLastomer™	1250	04,09,64,57,12	49HU50JI##17YY	50HU50JI##17YY		
		Ironman™	2000	04, 09	49NX50J+4P17YY	50NX50J+4P17YY	B,I	
			2000		49NX50JB##17YY	50NX50JB##17YY		
		Semi-Steel	1000	04,09,60,48,57,12	49SS50JS##17YY	50SS50JS##17YY		
		Heavy Duty Iron	1200	04,09,60,63,57,12	49HS50JS##17YY	50HS50JS##17YY		
		Ductile	2000	04,09,60,63,B1,B5	49DS50JR##17YY	50DS50JR##17YY		
		Forged Steel	2000	02,09,60,B1,B5	49FS50JS##17YY	50FS50JS##17YY		
		EnergySaver Ductile™	2000	04,09,60,48,B1,B5	49CD50JR##17YY	50CD50JR##17YY		
		Iron V-Groove	900	04,09,60,48,57,12	49VG50JT##17YY	50VG50JT##17YY		



RODAJA CON GIRATORIO EMBALERADO (49/50)

Wheel Diameter	Tread Width	Wheel Type	Load Cap.	Available Bearing Options	Replace + with desired wheel color		+Color
					Replace ## with desired wheel bearing		
					Swivel	Rigid	
6"	2"	Yoke Only			49ZZ60JZ8317YY	50ZZ60JZ8317YY	
		Neo-Energizer™	600	04, 09, 64, 57, 12	49EN60JB##17YY	50EN60JB##17YY	
		Mold-On Rubber	550	04,09,48,60,57,12	49RS60JB##17YY	50RS60JB##17YY	
		Supreme Rubber	700	04,09,48,60,57,12	49RH60JS##17YY	50RH60JS##17YY	
		Phenolic	1200	04,09,48,60,57,12	49PH60JB##17YY	50PH60JB##17YY	
		Straight-Sided Phenolic	1500		49PH60TB##17YY	50PH60TB##17YY	
		High-Temp Phenolic	900	04,09,90	49HT60JQ##17YY	50HT60JQ##17YY	
		Polygon AL™	1200	04,09,48,60,57,12	49PA60J+##17YY	50PA60J+##17YY	N,R
		DW-Black	700		49DW60JLT317YY	50DW60JLT317YY	
		DW-Red	960		49DW60JRT317YY	50DW60JRT317YY	
		DW-Blue	1400		49DW60JBT317YY	50DW60JBT317YY	
		DW-Gray	1400		49DW60JGT317YY	50DW60JGT317YY	
		Crown DW-Red	960		49DW60XRT317YY	50DW60XRT317YY	
		Crown DW-Blue	1400		49DW60XBT317YY	50DW60XBT317YY	
		Polygon™	1200		49PU60JV6317YY	50PU60JV6317YY	
				04,09,48,60,57,12	49PU60J+##17YY	50PU60J+##17YY	G,V
		EnergySaver Polygon™	1400	04,09,63,57,12	49SW60JU##17YY	50SW60JU##17YY	
		PolyFlexon™ Cast	900	04,09,63,57,12	49RP60JK##17YY	50RP60JK##17YY	
		PolyFlexon™	900		49UA60J+6417YY	50UA60J+6417YY	N,O
		D-Polygon	1000		49UD60JL6417YY	50UD60JL6417YY	
		Ultraflex™	1000		49UX60JO6417YY	50UX60JO6417YY	M,O
		Champion	1500		49CP60JN6417YY	50CP60JN6417YY	
		DuraLastomer™	1000	09,48,60,57,12	49SU60JL##17YY	50SU60JL##17YY	
		Super Elastomer	1400		49SX60JI6417YY	50SX60JI6417YY	
		ErgoLastomer™	1700	04,09,48,60,64,57,12	49HU60JI##17YY	50HU60JI##17YY	
		Titan™ Polymer	2000		49PX60JO6317YY	50PX60JO6317YY	
		Conquer™	1800		49CQ60JM6417YY	50CQ60JM6417YY	
			1800		49CQ60JL6417YY	50CQ60JL6417YY	
		Semi-Steel	1200	04,09,48,60,57,12	49SS60JS##17YY	50SS60JS##17YY	
		Heavy Duty Iron	1400	04,09,60,63,57,12	49HS60JS##17YY	50HS60JS##17YY	S=Flat Tread
				04,09,60,48,57,12	49HS60JX##17YY	50HS60JX##17YY	X=Crown Tread
		Ductile	2000	04,09,60,73,63,B1,B5	49DS60JR##17YY	50DS60JR##17YY	
		EnergySaver Ductile™	2000	04,09,48, 60,73,B1,B5	49CD60JR##17YY	50CD60JR##17YY	
		Forged Steel	2000	04,09,73,63,B1,B5	49FS60JS##17YY	50FS60JS##17YY	S=Flat Tread
					49FS60JX4P17YY	50FS60JX4P17YY	X=Crown Tread
		Ironman™ V-Groove	2000		49NV60JT4P17YY	50NV60JT4P17YY	
		Ironman™	2000		49NX60J+4P17YY	50NX60J+4P17YY	B,I
		Iron V-Groove	1000	04,09,48,60,57,12	49VG60JT##17YY	50VG60JT##17YY	
Ductile V-Groove	2000	04,09,57,12,63,B1,B5	49DV60JT##17YY	50DV60JT##17YY			
	2"	Yoke Only			49ZZ80JZ8317YY	50ZZ80JZ8317YY	
		Neo-Energizer™	600	04,09,64,57,12	49EN80JB##17YY	50EN80JB##17YY	
		Mold-On Rubber	600	04,09,48,60,57,12	49RS80JB##17YY	50RS80JB##17YY	
		Supreme Rubber	810	04,09,63,57,12	49RH80JS##17YY	50RH80JS##17YY	
		Phenolic	1400	04,09,48,60,57,12	49PH80JB##17YY	50PH80JB##17YY	
		High-Temp Phenolic	1100	04,09,90	49HT80JQ##17YY	50HT80JQ##17YY	
		Polygon AL™	1250	04,09,48,60,57,12	49PA80J+##17YY	50PA80J+##17YY	N,R
		DW-Black	750		49DW80JLT317YY	50DW80JLT317YY	
		DW-Red	1100		49DW80JRT317YY	50DW80JRT317YY	
		DW-Blue	1600		49DW80JBT317YY	50DW80JBT317YY	
		DW-Gray	1700		49DW80JGT317YY	50DW80JGT317YY	
		Crown DW-Red	1100		49DW80XRT317YY	50DW80XRT317YY	
		Crown DW-Blue	1600		49DW80XBT317YY	50DW80XBT317YY	
		Polygon™	1400		49PU80JV6317YY	50PU80JV6317YY	
				04,09,48,60,57,12	49PU80J+##17YY	50PU80J+##17YY	G,V
		EnergySaver Polygon™	1500	04,09,48,60,57,12	49SW80JU##17YY	50SW80JU##17YY	
		PolyFlexon™ Cast	1000		49RP80JK6317YY	50RP80JK6317YY	
		PolyFlexon™	1200		49UA80J+6417YY	50UA80J+6417YY	N,O
		D-Polygon	1200		49UD80JL6417YY	50UD80JL6417YY	
		Ultraflex™	1200		49UX80J+6417YY	50UX80J+6417YY	M,O
		Champion	1700		49CP80JN6417YY	50CP80JN6417YY	
		DuraLastomer™	1000	09,48,60,57,12	49SU80JL##17YY	50SU80JL##17YY	
		Super Elastomer	1500		49SX80JI6417YY	50SX80JI6417YY	
		ErgoLastomer™	2000	04,09,64,57,12	49HU80JI##17YY	50HU80JI##17YY	
		Titan™ Polymer	2000		49PX80JO6317YY	50PX80JO6317YY	
		Conquer™	2000		49CQ80JR6417YY	50CQ80JR6417YY	
			2000		49CQ80JL6417YY	50CQ80JL6417YY	
		Semi-Steel	1400	04,09,48,60,57,12	49SS80JS##17YY	50SS80JS##17YY	
		Heavy Duty Iron	1600	04,09,48,60,57,12	49HS80JS##17YY	50HS80JS##17YY	S=Flat Tread
					49HS80JX##17YY	50HS80JX##17YY	X=Crown Tread
		Ductile	2000	04,09,48,60,B1,B5	49DS80JR##17YY	50DS80JR##17YY	
		EnergySaver Ductile™	2000	04,09,48,60,B1,B5	49CD80JR##17YY	50CD80JR##17YY	
		Forged Steel	2000	04,09,63,B5,B1	49FS80JS##17YY	50FS80JS##17YY	S=Flat Tread
					49FS80JX4P17YY	50FS80JX4P17YY	X=Crown Tread
		Ironman™	2000		49NX60J+4P17YY	50NX60J+4P17YY	B,I
		Ironman™ V-Groove	2000		49NV80JT4P17YY	50NV80JT4P17YY	
		Iron V-groove	1200	04, 09,48,60,57,12	49VG80JT##17YY	50VG80JT##17YY	

